Conforms to OSHA HazCom 2012 Standard

Section 1 - Identification

Product Identifier AGGRESSOR No-Rinse/No-Scrub Liquifying Stripper

Recommended use Floor remover.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name DESANTIS JANITOR SUPPLY CO.

Address 100 Mead Ave. · Meadville, PA 16335-3529

Telephone Supplier Email Contact

Emergency Phone (814) 724-2508

Section 2 - Hazard(s) Identification

Physical Hazards Not Classified

Health Hazards Acute toxicity, dermal 4

Acute toxicity, inhalation 4
Acute toxicity, oral 4
Serious eye damage/eye irritation 1
Skin corrosion/irritation 1

Specific target organ toxicity, single exposure 3 respiratory tract

irritation

OSHA defined hazards

Label Elements Hazard Symbol Not Classified.





Signal Word Danger

Hazard statement Causes severe skin burns and eye damage. Harmful if swallowed, in contact with skin

or if inhaled. May cause respiratory irritation.

Precautionary statement

Prevention Do not breathe mist or vapor. Use only in well-ventilated areas. Wear protective

gloves/clothing and eye/face protection. Do not eat, drink or smoke when using this

product. Wash thoroughly after handling. Keep out of reach of children.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off

immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

Storage Store locked up. Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Section 3 - Composition/Information on ingredients

Mixture

Hazardous Components

 Ingredient Name
 CAS #
 %

 2-Amino Ethanol
 141-43-5
 5 - 10

 2-Butoxyethanol
 111-76-2
 25 - 45

Composition Comments

Conforms to OSHA HazCom 2012 Standard

Section 4 - First-aid Measures

Skin contact

Inhalation Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained

personnel. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or

other proper respiratory medical device. Get medical attention immediately.

Remove contaminated clothing and shoes. Immediately flush skin with plenty of water.

Get prompt medical attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting

the upper and lower eyelids. Check and remove contact lenses. Continue to rinse for

at least 10 minutes. Get medical attention immediately.

Ingestion Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully

conscious, give a cupful of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration.

Call a physician or poison control center immediately.

Most Important symptoms /effects, acute and delayed Indication of immediate medical attention and special treatment Causes skin and eye burns. May cause respiratory tract irritation. Symptoms may be

delayed.

mmediate medical Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Immediate medical attention is required. In case of shortness of breath, give oxygen. Keep victim warm.

Section 5 - Fire-fighting measures

General Information

Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog.

Do not use water jet as an extinguisher, as this will spread the fire.

None known.

Special protective equipment and precautions for firefighters

Fire-fighting equipment /instruction

Wear suitable protective equipment. Self-contained breathing apparatus and full

protective clothing must be worn in case of fire.

Move containers from fire area if you can do it without risk. Use water spray to keep

fire-exposed containers cool.

General fire hazards Specific Methods

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up

Contain spill. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Flush area with water.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapor. Keep container closed. Wash thoroughly after handling. Use Personal Protective Equipment

recommended in section 8 of the SDS.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials. Keep container closed. Keep out of reach of children.

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value

2-Amino Ethanol (CAS 141-43-5) PEL 6 mg/m³ , 3 ppm 2-Butoxyethanol (CAS 111-76-2) PEL 240 mg/m³ , 50 ppm

US. ACGIH Threshold Limit Values

Conforms to OSHA HazCom 2012 Standard

Component	Type	Value
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm
2-Amino Ethanol (CAS 141-43-5)	STEL	6 ppm
2-Amino Ethanol (CAS 141-43-5)	TWA	3 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value

2-Amino Ethanol (CAS 141-43-5) STEL 15 mg/m³, 6 ppm 2-Amino Ethanol (CAS 141-43-5) TWA 8 mg/m³, 3 ppm 2-Butoxyethanol (CAS 111-76-2) TWA 24 mg/m³, 5 ppm

Biological limit values

US. ACGIH. BEIs. Biological Exposure Indices

Component Value Determinate
2-Butoxyethanol (CAS 111-76-2) 200 mg/g Butoxyacetic acid (BAA), with hydrolys

Exposure guidelinesUse personal protective equipment as required. Keep working clothes separately.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components Exposure

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed though the

US.Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

US.NIOSH: Pocket Guide to Chemical Hazards

Component Exposure

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed though the

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed though the

US.OSHA Table Z-1-A (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed though the US.Rhode Island Hazardous Substances Right-to-Know Act (R.I. Gen. Laws Section 1988).

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the

US.Tennesee. OELs Occupational Exposure Limits, Table Z1A
Components Exposure

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed though the

Appropriate engineering controls Provide adequate local exhaust ventilation to maintain worker exposure below

exposure limits. Provide easy access to water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

Eve/face protection Wear approved chemical safety goggles. Provide an emergency eye wash fountain

and quick drench shower in the immediate work area.

Skin protection

Hand protection Wear chemical-resistant, impervious gloves. Suitable gloves can be recommended by

the glove supplier.

Other Not available.

exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to

assure compliance with OSHA 29 CFR 1910.134.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Section 9 - Physical and chemical properties

^{* -} For sampling details, please see the source document.

Conforms to OSHA HazCom 2012 Standard

AppearanceClear.Physical stateLiquid.FormLiquid.ColorPale Straw.OdorSassafras.Odor thresholdNot available.

pH (Concentrate) 11.7

Melting point/freezing point Not available.

Initial boinging point and 212 °F (100 °C)

boiling range

Flash point >201°F (94°C) TCC Evaporation rate Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available. Not available. Flammability limit - upper (%) Not available. **Explosive limit - lower (%)** Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. Relative density 0.97 ± 0.01 Relative density temperature 75 °F (23.89 °C) 100 % Soluble. **Solubilities** Not available Partition Coefficient n-

octanol/water

Auto-ignition temperatureNot AvailableDecomposition temperatureNot AvailableViscosity< 10 cP</th>

Viscosity Temperature 75 °F (23.89 °C)

Section 10 - Stability and reactivity

Reactivity The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possiblity of hazardous reactio Hazardous polymerization does not occur.

Conditions to AvoidKeep away from heat and direct sunlight. Contact with incompatible materials.

Incompatible materials Oxidizing agents.

Hazardous Decomposition Pro Carbon monoxide. Carbon dioxide. Nitrogen oxides.

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion May cause burns of the gastrointestinal tract if swallowed.

Inhalation Irritating to respiratory system. May cause burns in mucous membranes, throat,

esophagus and stomach.

Skin contact Causes skin burns.

Eye contact Causes serious eye damage.

Symptoms related to the physical,

chemical and toxicological

delayed.

characteristics

Information on toxicological effects.

Acute toxicity Harmful if inhaled, absorbed through skin, or swallowed.

Level Code **Species** Results Components Type 2-Butoxyethanol (CAS 111-76-2) Acute Dermal LD50 Rabbit 400 ma/ka Acute Inhalation LC50 Rat 450 mg/l, 4 hrs Acute Oral LD50 Rat 560 mg/kg 2-Amino Ethanol (CAS 141-43-5) Acute Dermal LD50 Rabbit 1025 mg/kg

Causes skin and eye burns. May cause respiratory tract irritation. Symptoms may be

Conforms to OSHA HazCom 2012 Standard

Acute Oral LD50 Rat 1715 mg/kg

Skin corrosion/irritation Causes skin burns.

Serious eye damage/ eye irritation Causes serious eye damage.

Respiratory sensitizationNot classified.Skin sensitizationNot classified.Germ cell mutagenicityNot classified.

Carcinogenicity IARC Monographs. Overall Evaluation of Carcinogenicity

2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Component Result Comment

2-Butoxyethanol (CAS 111-76-2)

3 Not classifiable as to

carcinogenicity to humans.

Reproductive toxicity Not classified.

Specific target organ toxicity -

single exposure

Irritating to respiratory system.

Specific target organ toxicity -

repeated exposure

Not classified.

repeated exposure

Aspiration hazard Not classified

Chronic effects 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is

repeated and prolonged. These effects have not been observed in humans.

Prolonged or repeated exposure may cause liver and kidney damage. These effects

have not been observed in humans.

Further information

Section 12 - Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment.

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential Not known.

Partition coeficient n-octanol / water log (Kow)

Components Results
2-Butoxyethanol (CAS 111-76-2) 0.83
2-Amino Ethanol (CAS 141-43-5) -1.31

Mobility in soil Not available.

Mobility in general The product is water soluble and may spread in water systems.

Other adverse effects None known.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the

product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after

container is emptied.

Section 14 - Transport information

DOT IATA IMDG

Transportation in bulk according to Annex II of MARPOL 73/78 and

IBC Code

General Information

This substance/mixture is not intended to be transported in bulk.

Conforms to OSHA HazCom 2012 Standard

Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export

Notification (40 CFR707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-CERCLA Hazardous Substance Not on regulatory list.

Not regulated.

List (40 CFR 302.4

Components Result
2-Butoxyethanol (CAS 111-76-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Immediate Hazard Yes
Categories Delayed Hazard No

Fire Hazard No
Pressure Hazard No
Reactivity Hazard No
tremely hazardous No

SARA 302 Extremely hazardous

substance

SARA 311/312 Hazardous

chemical

Yes

SARA 313 (TRI reporting)

 Chemical name
 CAS #
 % by wt.

 2-Butoxyethanol
 111-76-2
 25 - 45

Other federal regulations

Clean Air Act (CAA) Section No

112 Hazardous Air Pollutants

Not regulated.

Clean Air Act (CAA) Section

112(r) Accidental Release

Not regulated.

Prevention (40 CFR 68.130)

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration Not regulated.

(FDA)

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

This material is not known to contain any chemicals currently listed as carcinogens or

reproductive toxins.

US.Massachusetts RTK -

Substance List

Components

2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5)

US.New Jersey Worker and

Components

Community Right-to-Know Act 2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5)

US.Pennsylvania RTK - Components

Hazardous Substances 2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5)

US.Rhode Island RTK Components

2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5)

US - California Propsition 65 -

Carcinogens Reproductive

International Inventories

Country(s) or Inventory Name

region

Not listed.

On Inventory (yes/no)*

Conforms to OSHA HazCom 2012 Standard

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan .	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).
*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date 1/18/2015

Revision date

Version # 01

Further information List of abbreviations

References

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.