SAFETY DATA SHEET

Date Prepared : 1/15/2015 SDS No : LF2

Lock & Fill Spray & Wipe degreaser

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Lock & Fill Spray & Wipe degreaser GENERAL USE: General purpose degreasing and removal of industrial soils. PRODUCT DESCRIPTION: Spray & Wipe Degreaser PRODUCT CODE: LF2 CHEMICAL FAMILY: Solvent/detergent blend

MANUFACTURER

MISCO Products Corporation 1048 Stinson Drive Reading, PA 19605 Emergency Phone: 610-926-4106 Customer Service: 800-548-4568 Transportation: 800-548-4568

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEM-TEL (Medical and Transportation): 800-255-3924 POISON CONTROL CENTER (Medical): 800-222-1222

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Eye Irritation, Category 2A Skin Irritation, Category 2

Physical:

Flammable Liquids, Category 4

GHS LABEL



SIGNAL WORD: WARNING

HAZARD STATEMENTS

H319: Causes serious eye irritation.H315: Causes skin irritation.H303: May be harmful if swallowed.H227: Combustible liquid.

PRECAUTIONARY STATEMENT(S)

Prevention:

P273: Avoid release to the environment.

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P264: Wash thoroughly after handling.

P233: Keep container tightly closed.

P102: Keep out of reach of children.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P370+P378: In case of fire: Use dry chemical, alcohol-resistant foam for extinction.

Storage:

P404: Store in a closed container. P403+P235: Store in a well-ventilated place. Keep cool.

Disposal:

P501: Dispose of contents/container in accordance with local, state and federal regulations.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Red liquid

IMMEDIATE CONCERNS: Eye & Skin irritant

POTENTIAL HEALTH EFFECTS

EYES: Extremely irritating to the eyes and may cause severe damage including blindness.

SKIN: Contact may cause moderate to severe irritation.

SKIN ABSORPTION: None Expected.

INGESTION: Harmful if swallowed.

INHALATION: High concentrations may lead to central nervous system effects (drowsiness, dizziness, nausea, headaches)

REPRODUCTIVE TOXICITY

TERATOGENIC EFFECTS: None known.

CARCINOGENICITY: Not Established

MUTAGENICITY: None known.

MEDICAL CONDITIONS AGGRAVATED: Previous skin conditions such as dermatitis may be aggrevated.

ROUTES OF ENTRY: Eye, skin, ingestion, Inhalation.

CANCER STATEMENT: None

WARNING CAUTION LABELS: Irritant

PHYSICAL HAZARDS: Combustible material.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Ethylene glycol butyl ether	15 - 20	111-76-2
Nonylphenol Ethoxylate	1 - 15	9016-45-9
Monoethanolamine	0 - 5	141-43-5
Fragrance	< 0.5	N/A
Dye	0 - 0.1	N/A
Water	65 - 75	7732-18-5

4. FIRST AID MEASURES

EYES: Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Severe burning sensation, tearing, redness, swelling.

SKIN: Prolonged contact will cause irritation marked by redness, burning sensation.

SKIN ABSORPTION: Not Established

INGESTION: Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

ACUTE TOXICITY: Not Established

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: IIIA (140-200F)

GENERAL HAZARD: Combustible Liquid

EXTINGUISHING MEDIA: Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide from combustion

EXPLOSION HAZARDS: Fire exposed containers may burst due to increased pressure from heat.

FIRE FIGHTING PROCEDURES: Keep fire exposed containers cool with water stream or mist.

FIRE FIGHTING EQUIPMENT: Fire-fighters should wear appropriate protective equipment ans self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode.

HAZARDOUS DECOMPOSITION PRODUCTS: Decomposition products may include: Carbon dioxide, Carbon monoxide, nitrogen oxides.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Shut off any ignition sources. Avoid runoff into storm sewers and ditches which lead to waterways.

LARGE SPILL: Shut off all ignition sources. Ventilate area. Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid discharges into open waterways.

LAND SPILL: Avoid discharge to soil.

GENERAL PROCEDURES: Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

SPECIAL PROTECTIVE EQUIPMENT: Eye protection, rubber gloves, rubber boots to protect feet.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Store away from excessive heat, spark or open flame. Store at temperatures below 140F. Keep container closed until used. Do not contaminate water, food, or feed by storage or disposal.

HANDLING: Wear eye protection, rubber gloves when handling concentrate.

STORAGE: Store in area inaccessible to children.

STORAGE TEMPERATURE: Store at ambient temperatures.

STORAGE PRESSURE: Store at ambient atmospheric pressure.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
Ethylono dysol bytyl otbor	TWA	50	240	20	97	NL	NL
Ethylene glycol butyl ether	STEL					NL	NL
Manaathanalamina	TWA	3	6	3	7.5	NL	NL
Monoethanolamine	STEL			6	15	NL	NL

ENGINEERING CONTROLS: Provide mechanical ventilation when used in confined areas, or areas with poor ventilation.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Chemical splash googles and full face-shield.

SKIN: Rubber or other chemical resistant gloves. Rubber boots of used on floors.

PROTECTIVE CLOTHING: Chemical resistant outerwear (tyvek) if contact with spray or mist is anticipated.

WORK HYGIENIC PRACTICES: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid **ODOR:** Citrus **ODOR THRESHOLD:** Not Established COLOR: Red **pH:** 10.5 to 11.5 PERCENT VOLATILE: 85+ FLASH POINT AND METHOD: ~ 68°C (155°F) FLAMMABLE LIMITS: Not established to Not established AUTOIGNITION TEMPERATURE: Not Established VAPOR PRESSURE: ≤ 20 mm Hg at (68°F) VAPOR DENSITY: ≤ 1 **BOILING POINT:** ~ 100°C (212°F) FREEZING POINT: ~ 0°C (32°F) THERMAL DECOMPOSITION: Not Available **SOLUBILITY IN WATER:** Complete EVAPORATION RATE: (Water = 1) < 1.0 DENSITY: 8.3 at (68°F) SPECIFIC GRAVITY: 0.995 grams/ml. VISCOSITY: Water thin. (VOC): 17.070 % by weight

10. STABILITY AND REACTIVITY

REACTIVITY: Stable HAZARDOUS POLYMERIZATION: No CONDITIONS TO AVOID: Heat, flames and sparks. POSSIBILITY OF HAZARDOUS REACTIONS: None Expected.

HAZARDOUS DECOMPOSITION PRODUCTS: Not Established

INCOMPATIBLE MATERIALS: Strong acids, oxidizers.

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Ethylene glycol butyl ether	1300 mg/kg (rat)	> 2000 mg/kg (rabbit)	> 3.1 mg/l
Nonylphenol Ethoxylate	16000 mg/kg (rat)	4490 mg/kg (rabbit)	
Monoethanolamine	1089 mg/kg (rat)	2504 mg/kg (rabbit)	~ 1.48 mg/l

EYES: Not Established

DERMAL LD₅₀: Not Established

SKIN ABSORPTION: None Expected.

ORAL LD₅₀: Not Established

INHALATION LC50: Not Established

EYE EFFECTS: Severe eye irritant.

SKIN EFFECTS: Moderate skin irritant.

CARCINOGENICITY

Chemical Name	NTP Status	IARC Status	OSHA Status
Ethylene glycol butyl ether	No listed substance	Group 3 - Not classifiable as to its carcino genicity to Humans	No listed substance

IARC:

The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of 2butoxyethanol in humans, but limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans).

IRRITATION: Irritant

SENSITIZATION: No known significant effects or critical hazards.

NEUROTOXICITY: Central nervous system effects marked by dizziness, headache, nausea, unconciousness.

REPRODUCTIVE EFFECTS: None Expected.

TARGET ORGANS: May cause damage to blood, Kidney, liver with prolonged or repeated exposure to high concentrations of vapors.

MUTAGENICITY: No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Established

ECOTOXICOLOGICAL INFORMATION: This material may be toxic to aquatic life.

AQUATIC TOXICITY (ACUTE): Not Established

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for

intended purpose. Small amounts (less than 1 gallon) may be diluted with copious amounts of water and disposed of into sanitary sewer.

FOR LARGE SPILLS: Consult with local and state authorities for large volume disposal.

PRODUCT DISPOSAL: Any method in accordance with local, state, and federal laws. Best method is to recycle or reuse for intended purpose.

EMPTY CONTAINER: Rinse container with clear water. Offer container for recycling, or dispose of in trash.

RCRA/EPA WASTE INFORMATION: NA = Not Applicable

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Cleaning Compound, not regulated.

ROAD AND RAIL (ADR/RID)

PROPER SHIPPING NAME: Cleaning Compound, not regulated.

AIR (ICAO/IATA)

SHIPPING NAME: Cleaning Compound, not regulated.

VESSEL (IMO/IMDG)

SHIPPING NAME: Cleaning Compound, not regulated.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Health - Acute

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: Yes CHRONIC: No

313 REPORTABLE INGREDIENTS: 2-butoxyethanol 111-76-2 (Category: N230 Certain Glycol Ethers)

EPCRA SECTION 313 SUPPLIER NOTIFICATION

Chemical Name	Wt.%	CAS
Ethylene glycol butyl ether	15 - 20	111-76-2

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: NA = Not Applicable

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: NA = Not Applicable

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Chemical Inventory.


STATES WITH SPECIAL REQUIREMENTS

Chemical Name	Requirements
Ethylene glycol butyl ether	Massachusetts Right to Know Substance Pennsylvania Right to Know Substance New Jersey Right To Know Substance
Nonylphenol Ethoxylate	Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance
Monoethanolamine	Massachusetts Right to Know Substance New Jersey Right To Know Substance New York Right to Know Substance Pennsylvania Right to Know Substance

CARCINOGEN:

The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of 2butoxyethanol in humans, but limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans).

16. OTHER INFORMATION



MANUFACTURER DISCLAIMER: This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.