# SAFETY DATA SHEET

**Date Issued:** 12/10/2014

SDS No: LF7

# Lock & Fill Clean & Fresh Spray Deodorizer

## 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Lock & Fill Clean & Fresh Spray Deodorizer

GENERAL USE: Eliminate complex odors caused by smoke, pets, urine, etc.

PRODUCT DESCRIPTION: Clean & Fresh Spray Deodorizer

**PRODUCT CODE:** LF7

CHEMICAL FAMILY: Fragrance/detergent blend

#### **MANUFACTURER**

MISCO Products Corporation 1048 Stinson Drive Reading, PA 19605

**Emergency Phone:** 610-926-4106 **Customer Service:** 800-548-4568 **Transportation:** 800-548-4568

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

CHEM-TEL (Medical and Transportation): 800-255-3924 POISON CONTROL CENTER (Medical): 800-222-1222

## 2. HAZARDS IDENTIFICATION

#### **GHS CLASSIFICATIONS**

#### Health:

Eye Irritation, Category 1 Skin Irritation, Category 2 Acute Toxicity (Oral), Category 4

## Physical:

Combustible Liquid, Category 4

## **GHS LABEL**



Exclamation mark



Corrosion

# SIGNAL WORD: DANGER HAZARD STATEMENTS

H318: Causes serious eye damage.

H315: Causes skin irritation.

H302: Harmful if swallowed.

H227: Combustible liquid.

## PRECAUTIONARY STATEMENT(S)

#### Prevention:

P262: Do not get in eyes, on skin, or on clothing.

P233: Keep container tightly closed.

P102: Keep out of reach of children.

P264: Wash thoroughly after handling.

P270: Do no eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

## Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330: Rinse mouth.

P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P370+P378: In case of fire: Use dry chemical, alcohol-resistant foam for extinction.

#### Storage:

P404: Store in a closed container. P403: Store in a well-ventilated place.

## Disposal:

P501: Dispose of contents/container in accordance with local, state and federal regulations.

## **EMERGENCY OVERVIEW**

PHYSICAL APPEARANCE: Clear Liquid

IMMEDIATE CONCERNS: Severe eye irritant and may cause permanent eye damage. Skin irritant.

## POTENTIAL HEALTH EFFECTS

**EYES:** Corrosive to the eyes and may cause severe damage including blindness.

**SKIN:** Contact may cause moderate to severe irritation.

**SKIN ABSORPTION:** None Expected. **INGESTION:** Harmful if swallowed.

**INHALATION:** Mist is irritating to nose, throat and lungs.

## REPRODUCTIVE TOXICITY

TERATOGENIC EFFECTS: None known.

CARCINOGENICITY: No listed substance

**MUTAGENICITY:** None known.

MEDICAL CONDITIONS AGGRAVATED: Previous skin conditions such as dermatitis may be aggrevated.

ROUTES OF ENTRY: Eye, skin, ingestion.

**CANCER STATEMENT: None** 

WARNING CAUTION LABELS: Corrosive PHYSICAL HAZARDS: Combustible material.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Nonylphenol Ethoxylate	20 - 25	9016-45-9
Alkyl dimethyl benzyl ammonium chloride(C12-C18)	0 - 2	68391-01-5
Propylene Glycol	5 - 10	57-55-6
Isopropanol	0 - 5	67-63-0
Fragrance	10 - 15	N/A
Water	50 - 60	7732-18-5

## 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

**INGESTION:** Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

**INHALATION:** Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** Severe burning sensation, damage marked by burns.

**SKIN:** Burning sensation, redness. **SKIN ABSORPTION:** None Expected.

**INGESTION:** Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: Headache, dizziness, nausea.

**ACUTE TOXICITY: Not Established** 

## 5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: IIIA (140-200F)
GENERAL HAZARD: Combustible Liquid

**EXTINGUISHING MEDIA:** Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide from combustion

**EXPLOSION HAZARDS:** Fire exposed containers may burst due to increased pressure from heat. **FIRE FIGHTING PROCEDURES:** Keep fire exposed containers cool with water stream or mist.

**FIRE FIGHTING EQUIPMENT:** Fire-fighters should wear appropriate protective equipment ans self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition can lead to release of irritating gases and vapors.

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Shut off any ignition sources. Avoid walking in product. Wipe up or otherwise flush small spills (less than 1 gallon) to sanitary sewer.

**LARGE SPILL:** Shut off all ignition sources. Ventilate area. Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

#### **ENVIRONMENTAL PRECAUTIONS**

**WATER SPILL:** Avoid discharges into open waterways.

**LAND SPILL:** Avoid discharge to soil.

**GENERAL PROCEDURES:** Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

SPECIAL PROTECTIVE EQUIPMENT: Eye protection, rubber gloves, rubber boots to protect feet.

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Store away from excessive heat, spark or open flame. Store at temperatures below 140F. Keep container closed until used. Do not contaminate water, food, or feed by storage or disposal.

**HANDLING:** Wear eye protection, rubber gloves when handling concentrate.

STORAGE: Store in area inaccessible to children.

**STORAGE TEMPERATURE:** Store at ambient temperatures. **STORAGE PRESSURE:** Store at ambient atmospheric pressure.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **EXPOSURE GUIDELINES**

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSH	A PEL	ACGI	H TLV	Suppli	er OEL
Chemical Name		ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
Isopropanol	TWA	400	980	200	490	NL	NL
	STEL			400	960	NL	NL

**ENGINEERING CONTROLS:** No special requirements.

PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Safety glasses with side shields. **SKIN:** Rubber or other chemical resistant gloves.

**RESPIRATORY:** A respirator is not needed under normal and intended conditions of product use.

**PROTECTIVE CLOTHING:** No special requirements.

WORK HYGIENIC PRACTICES: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid ODOR: Fresh & Clean

**ODOR THRESHOLD:** Not Established

**COLOR:** Slight Yellow

**pH:** 5.5 to 7.5

**PERCENT VOLATILE: >60** 

FLASH POINT AND METHOD: ~ 60.6°C (141°F)

FLAMMABLE LIMITS: 2.0 to 12.0

AUTOIGNITION TEMPERATURE: Not Available

VAPOR PRESSURE: ≤ 20 mm Hg at (68°F) VAPOR DENSITY: ≤ 1 Air = 1

BOILING POINT: 212° F; 100° C FREEZING POINT: 32° F; 0° C MELTING POINT: Not Available

THERMAL DECOMPOSITION: Not Available

**SOLUBILITY IN WATER:** Complete **EVAPORATION RATE:** (Water =1) 1.0

**DENSITY:** 8.29 at (68°F)

SPECIFIC GRAVITY: 0.992 grams/ml.

**VISCOSITY:** Slightly viscous. **(VOC):** 17.370 % by weight

## 10. STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No POLYMERIZATION: Will not occur.

**CONDITIONS TO AVOID:** Heat, flames and sparks.

POSSIBILITY OF HAZARDOUS REACTIONS: None Expected.

**INCOMPATIBLE MATERIALS:** Strong acids, oxidizers.

## 11. TOXICOLOGICAL INFORMATION

## **ACUTE**

Chemical Name	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)
Nonylphenol Ethoxylate	16000 mg/kg (rat)	4490 mg/kg (rabbit)	
Alkyl dimethyl benzyl ammonium chloride(C12-C18)	500 mg/kg (rat)	> 2000 mg/kg (rabbit)	
Isopropanol	5045 mg/kg (rat)	12800 mg/kg (rabbit)	16000 ppm

**EYES:** Not Established

**DERMAL LD**<sub>50</sub>: Not Established

**SKIN ABSORPTION:** None Expected.

ORAL LD50: Not Established

INHALATION LC50: Not Established

**EYE EFFECTS:** Corrosive to eyes. Permanent damage may occur. **SKIN EFFECTS:** Severe skin irritant. May cause burns to skin.

CARCINOGENICITY

IARC: No listed substance

**IRRITATION:** Irritant

**SENSITIZATION:** No known significant effects or critical hazards. **NEUROTOXICITY:** No known significant effects or critical hazards.

**REPRODUCTIVE EFFECTS:** No known significant effects or critical hazards.

**TARGET ORGANS:** No known significant effects or critical hazards. **MUTAGENICITY:** No known significant effects or critical hazards.

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA: Not Established** 

**ECOTOXICOLOGICAL INFORMATION:** This material may be toxic to aquatic life.

AQUATIC TOXICITY (ACUTE): Not Established

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. Small amounts (less than 1 gallon) may be diluted with copious amounts of water and disposed of into sanitary sewer.

FOR LARGE SPILLS: Consult with local and state authorities for large volume disposal.

**PRODUCT DISPOSAL:** Any method in accordance with local, state, and federal laws. Best method is to recycle or reuse for intended purpose.

**EMPTY CONTAINER:** Rinse container with clear water. Offer container for recycling, or dispose of in trash.

RCRA/EPA WASTE INFORMATION: NA = Not Applicable

## 14. TRANSPORT INFORMATION

## **DOT (DEPARTMENT OF TRANSPORTATION)**

PROPER SHIPPING NAME: Cleaning Compound, not regulated.

**ROAD AND RAIL (ADR/RID)** 

**PROPER SHIPPING NAME:** Cleaning Compound, not regulated.

AIR (ICAO/IATA)

SHIPPING NAME: Cleaning Compound, not regulated.

VESSEL (IMO/IMDG)

SHIPPING NAME: Cleaning Compound, not regulated.

## 15. REGULATORY INFORMATION

#### **UNITED STATES**

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Health - Acute

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: Yes CHRONIC: No

313 REPORTABLE INGREDIENTS: NA = Not Applicable

302/304 EMERGENCY PLANNING

**EMERGENCY PLAN:** NA = Not Applicable

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: NA = Not Applicable
TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Chemical Inventory.

## STATES WITH SPECIAL REQUIREMENTS

Chemical Name	Requirements
Nonylphenol Ethoxylate	Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance
Isopropanol	Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance

**CALIFORNIA PROPOSITION 65:** None **CARCINOGEN:** No listed substance


### 16. OTHER INFORMATION

PREPARED BY: Regulatory Affairs Department

## **HMIS RATING**



# **NFPA CODES**



**MANUFACTURER DISCLAIMER:** This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.